

Volkswagen > Jetta > 2005-2008

Body Exterior

60 - Removal and Installation


.

Panorama Sunroof Rear Glass Panel


Removing

Note:

- ♦ *When removing the screws, use a magnetic tool so that the screws cannot fall into the sunroof mechanism.*
- Open the front glass roof panel completely by pressing the rotary switch past the comfort setting.



- Remove the rear glass sunroof panel - **1** - screws - **3** - .
- Remove the spacer - **2** - under the attachment surface.
- Move the front glass sunroof panel into the "tilted" position.




- Pull the inner seal - **3** - slightly where shown - **arrow** - and remove the screws - **2** - .
- Remove the rear glass sunroof panel - **1** - upward.

Installing

Installation is performed in the reverse order of removal.

Note:

- ♦ *Always use new screws when installing or removing the glass sunroof panel.*
 - ♦ *When installing the screws, use a magnetic tool so that the screws cannot fall into the sunroof mechanism.*
- Insert the glass sunroof panel into the roof from the top.



- Pull the inner seal - **3** - slightly where shown - **arrow** - and install the screws - **2** - but do not tighten them.
- Install the rear glass sunroof panel ⇒ [Panorama Sunroof Front and Rear Glass Panel Height, Adjusting](#)

- Tighten the screws to 5 Nm after adjusting the rear glass sunroof panel.
- After completing all the work, perform an sunroof motor adaptation ⇒ [Panorama Sunroof, Adapting](#) .

Copyright © 2008 Volkswagen of America, Inc. and Bentley Publishers. All rights reserved. Last processed: