| 2012 Volkswagen <i>Touareg</i> Maintenance Schedule For USA Applicable Engines: 3.0L Hybrid, 3.0L TDI, and 3.6L | Carefree Maintenance Program USA Only | | | | | | | | | | | |
|--|---|------|------|------|------|------|------|------|------|------|------|------|
| Miles | 10K | 20K | 30K | 40K | 50K | 60K | 70K | 80K | 90K | 100K | 110K | 120K |
| | | | | | | | | | | | | |
| AdBlue®. Fluid: Check fluid level and add if necessary (3.0L TDI only) | Х | Х | Х | 5,* | X | Х | Х | 5,* | х | х | Х | 5,* |
| Airbag system: Perform visual inspection (Every 1 year regardless of mileage) | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * |
| Air filter element and snow filter: Replace element and clean screen and housing (Every 6 years regardless of mileage) | | | | | | 7, * | | | | | | 7, * |
| Battery: Check | | Х | | Х | | Х | | х | | х | | Х |
| Body: Visual inspection for corrosion | | | | Х | | | | Х | | | | Х |
| Brake pads: Check thickness and brake disc condition (front and rear) | Х | | Х | | Х | | Х | | Х | | Х | |
| Brakes: Inspect brake system and shock absorber for leaks and damage, check thickness of brake pads, brake disc condition front and rear and check brake fluid level subject to abrasion | | х | | х | | х | | х | | х | | х |
| Brake fluid and clutch unit: Change fluid (Every 3 years regardless of mileage and every 2 years after) | | | 3, * | | 3, * | | 3, * | | 3, * | | 3, * | |
| Coolant level and frost protection: Check | | | | Х | | | | Х | | | | Х |
| CV joints: Check for leaks and damage | | | | Х | | | | х | | | | Х |
| Diesel Particulate Filter: Perform after the first 120,000 miles or 120,000 miles after a Diesel Particulate Filter (DPF) replacement. Check ash loading according to manufacturer work procedure; Replace if necessary. NOTE: If DPF replacement is not necessary, perform check every 20,000 miles thereafter until replacement becomes necessary. (3.0L TDI only) | | | | | | | | | | | | x |
| Door checks and mounting pins: Lubricate | | | | Х | | | | Х | | | | Х |
| Dust and pollen filter: Replace (Every 2 years regardless of mileage) | | х | | Х | | Х | | х | | х | | Х |
| Engine: Change oil and replace oil filter | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х |
| Engine and engine compartment components: Check (from above) for leaks and damage | | | | Х | | | | Х | | | | х |
| Engine and engine compartment components: Check (from below) for leaks and damage, check transmission, final drive, and drive shaft boots | | | | Х | | | | х | | | | х |
| Exhaust system: Check for leaks, damage and secure fittings | | | | Х | | | | Х | | | | Х |

| 2012 Volkswagen <i>Touareg</i> Maintenance Schedule For USA Applicable Engines: 3.0L Hybrid, 3.0L TDI, and 3.6L | Carefree Maintenance Program USA Only | | | | | | | | | | | |
|--|---|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|
| Miles | 10K | 20K | 30K | 40K | 50K | 60K | 70K | 80K | 90K | 100K | 110K | 120K |
| | | | | | | | | | | | | |
| Fuel filter: Replace (3.0L TDI only) | | Х | | Х | | Х | | Х | | Х | | х |
| Headlights, daytime running lights, curve lighting, and automatic headlights: Check adjustment | | | | Х | | | | х | | | | х |
| Hybrid components: Perform a visual inspection of high voltage components and the lines in the engine compartment and the rear of the vehicle for damage | х | х | х | X | Х | Х | X | х | х | х | х | x |
| Interior lighting and glove box lights, cigarette lighter / power outlets, horn, and all warning lamps: Check | | | | х | | | | х | | | | х |
| Lighting: Front and rear lights, luggage compartment lighting, turn signals, hazard warning lights: Check | | | | Х | | | | х | | | | Х |
| Power steering: Check oil level | | | | X | | | | Х | | | | Х |
| Rear window: Check cleaning nozzle functionality (if applicable) | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х |
| Ribbed V-belt: Check condition | | | | Х | | | | Х | | | | Х |
| Ribbed V-belt for supercharger: Replace (Hybrid only) | | | | | Х | | | | | Х | | |
| Service interval display: Reset | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х |
| Service sticker: Enter the date of the next service on the service sticker and apply to the driver's side door pillar | х | х | х | Х | х | х | Х | х | х | х | х | х |
| Spark plugs: Replace (all engines except TDI) | | | | | | Х | | | | | | 6, * |
| Sunroof and panoramic sunroof: Check, clean, and lubricate (if applicable) | | | | Х | | | | Х | | | | Х |
| Sunroof: Open sunroof and check front water drains and clean if necessary (if applicable) | | х | | Х | | Х | | х | | х | | Х |
| Test drive: Check braking, kick-down, steering, electrical, heating and ventilation systems, air conditioning, handling, and parking brake | | | | х | | | | х | | | | Х |
| Tie rod ends: Check for excessive play and looseness, check boots | | | | Х | | | | Х | | | | Х |
| Tires: Check tread depth, condition, tire age, wear pattern and pressure of all tires (including spare) | | х | | Х | | х | | х | | х | | Х |
| Tires: Rotate front to rear | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х |

| 2012 Volkswagen <i>Touareg</i> Maintenance Schedule For USA Applicable Engines: 3.0L Hybrid, 3.0L TDI, and 3.6L | Carefree Maintenance Program USA Only | | | | | | | | | | | | |
|--|---|------|-----|------|-----|------|-----|------|-----|------|------|------|--|
| Miles | 10K | 20K | 30K | 40K | 50K | 60K | 70K | 80K | 90K | 100K | 110K | 120K | |
| Tire mobility kit: Check and observe expiration date on the tire filler bottle (Every 2 years regardless of mileage) | | 2, * | | 2, * | | 2, * | | 2, * | | 2, * | | 2, * | |
| Tire mobility kit: Replace tire filler bottle (Every 4 years regardless of mileage) | | | | 4, * | | | | 4, * | | | | 4, * | |
| Underbody sealant: Inspect for damage | | | | X | | | | Х | | | | Х | |
| Windshield washers, headlight cleaning system, and wiper blades: Check for damage and function, Check fluid level and add if necessary | х | Х | Х | Х | Х | Х | Х | Х | Х | Х | Х | х | |

- * Carefree Maintenance Program Time dependent items will be included in scheduled maintenance intervals if applicable
- 1. Every 1 year, regardless of mileage: Perform visual check of airbag system
- 2. Every 2 years, regardless of mileage: Check and observe the date on the tire filler bottle in the tire mobility kit (if applicable)
- 3. Every 3 years, regardless of mileage and every 2 years after: Change brake fluid
- 4. Every 4 years, regardless of mileage: Replace tire filler bottle in tire mobility set (Observe expiration date)
- 5. At the 4 year mark, if the mileage is under 10,000 miles: AdBlue®: Change fluid (3.0L TDI only)
- 6. Every 6 years regardless of mileage: Replace spark plugs (all engines except TDI)
- 7. Every 6 years regardless of mileage: Air filter element and snow filter: Replace element and clean screen and housing (if applicable)

© 2011 Volkswagen Group of America, Inc.

All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice.

No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.

Revised: May 2011