

Friday 19 December 2014 10:27:48  
 028 906 021 CK 1.9l R4 EDC G00SG 0802

Marker	Group A: '001					Group B: '003					Group C: '011				
	TIME	Engine spe	Injection Q	Mod. Pisto	Coolant Temp.	TIME	Engine spe	MAF (speci	MAF (actua	EGR duty cycle	TIME	Engine spe	Specified Iv	Actual MAF	Duty cycle
	STAMP	861-945 /min	9-Mar mg/str	1.35-2.10 V	80-110 °C	STAMP	861-945 /min	240-340 mg/str	240-340 mg/str	%	Apr-84	STAMP	/min	mbar	mbar
	0.36	3066	37.2	3.56	88.2	0.72	3192	850	800	4.8	0.01	2982	1948.2	1458.6	45.8
	1.46	3381	34.6	3.46	88.2	1.85	3465	850	840	4.8	1.08	3297	1948.2	1723.8	52.2
	2.6	3633	28.4	3.36	88.2	2.98	3654	850	710	4.8	2.23	3570	1948.2	1866.6	49.8
	3.74	3801	39.4	3.8	88.2	4.12	3864	850	910	4.8	3.36	3696	1948.2	1683	47.8
	4.85	4032	38.4	3.86	88.2	5.22	3633	850	655	4.8	4.49	3948	1948.2	2029.8	56.2
	6	2667	37	3.3	88.2	6.39	2688	850	790	4.8	5.6	2604	1948.2	1499.4	44.6
	7.17	2730	38	3.46	88.2	7.56	2772	850	810	4.8	6.78	2709	1948.2	1591.2	45
	8.3	2835	39.2	3.44	89.1	8.66	2856	850	805	4.8	7.94	2814	1948.2	1672.8	45
	9.37	2919	37.4	3.48	89.1	9.73	2940	850	815	4.8	9.01	2898	1948.2	1744.2	45.4
	10.45	3003	33	3.26	89.1	10.81	3045	780	810	4.8	10.09	2982	1948.2	1744.2	45.8
	11.53	3150	34	3.3	89.1	11.88	3192	850	840	4.8	11.17	3108	1948.2	1734	45.4
	12.61	3297	40.4	3.72	89.1	12.96	3339	850	920	4.8	12.24	3234	1948.2	1836	47.8
	13.69	2226	0	0.72	90	14.05	2373	250	465	4.8	13.32	3150	979.2	1815.6	59.8
	14.8	2268	0	0.72	90	15.19	2184	250	440	4.8	14.41	2352	938.4	1081.2	55.4
	15.97	2058	0	0.72	90	16.34	2037	250	450	4.8	15.57	2121	928.2	999.6	51.8
	17.06	2016	4.8	1.54	90	17.42	1995	285	460	41	16.7	2016	928.2	979.2	49.8
	18.14	1995	1.8	1.32	90	18.5	1995	250	435	59.8	17.78	1995	948.6	989.4	49.4
	114.3	2394	37.4	3.2	90	114.66	2415	850	745	4.8	115.02	2478	1938	1530	46.6
	115.39	2499	39	3.38	90	115.74	2541	850	785	4.8	116.1	2583	1948.2	1611.6	45.8
	116.46	2625	39.8	3.42	90	116.82	2646	850	830	4.8	117.18	2688	1948.2	1703.4	44.6
	117.54	2730	39.6	3.52	90	117.9	2772	850	855	4.8	118.26	2814	1948.2	1774.8	45.4
	118.62	2856	41	3.62	90	118.99	2898	850	910	4.8	119.37	2940	1948.2	1866.6	45.4
	119.75	3003	40.8	3.62	90	120.13	3045	850	915	4.8	120.49	3087	1948.2	1917.6	45.4
	120.85	3129	40.6	3.62	90	121.21	3150	850	935	4.8	121.61	3192	1948.2	1989	48.2
	122	3234	39.6	3.68	90	122.37	3276	850	990	4.8	122.75	3318	1948.2	2040	52.2
	123.16	3381	40.2	3.78	90.9	123.56	3402	850	1000	4.8	123.96	3444	999.6	2070.6	59.8
	124.36	2730	37.6	3.34	90.9	124.76	2478	850	855	4.8	125.16	2499	1948.2	1713.6	51.8
	125.53	2520	41	3.42	90.9	125.9	2541	850	875	4.8	126.29	2562	1948.2	1744.2	48.6
	126.71	2604	41.2	3.48	90.9	127.1	2604	850	890	4.8	127.47	2625	1948.2	1805.4	44.6
	127.84	2646	41.2	3.56	90.9	128.22	2667	850	855	4.8	128.62	2667	1948.2	1825.8	45
	129.01	2688	39.4	3.48	90.9	129.41	2709	850	865	4.8	129.8	2709	1948.2	1846.2	45.4
	130.2	2730	41.2	3.56	90.9	130.6	2751	850	900	4.8	131	2751	1948.2	1876.8	44.6
	131.4	2772	41	3.5	91.8	131.79	2772	850	905	4.8	132.18	2793	1948.2	1897.2	45
	132.58	2814	41	3.58	91.8	132.98	2835	850	920	4.8	133.39	2814	1948.2	1887	44.6
	133.79	2856	41	3.6	91.8	134.19	2856	850	885	4.8	134.59	2877	1948.2	1846.2	58.2
	135	2877	41	3.62	91.8	135.39	2898	850	865	4.8	135.78	2919	1948.2	1907.4	57

136.18	2940	40.8	3.62	91.8	136.55	2940	850	900	4.8	136.91	2961	1948.2	1938	57.4
137.28	2982	40.8	3.62	91.8	137.63	2982	850	940	4.8	138	2982	1948.2	1948.2	56.6
138.37	3003	38.4	3.56	91.8	138.73	3003	850	785	4.8	139.08	3003	1948.2	1815.6	53.8
139.44	3024	40.8	3.66	91.8	139.81	3024	850	895	4.8	140.16	3045	1948.2	1958.4	54.6
140.52	3045	40.8	3.68	91.8	140.89	3045	850	900	4.8	141.24	3066	1948.2	1999.2	57.4
141.62	3066	37.6	3.56	91.8	141.98	3066	850	865	4.8	142.34	3087	1948.2	1927.8	57.4
142.71	3087	40.6	3.7	92.7	143.06	3087	850	940	4.8	143.43	3108	1948.2	1989	59
143.8	3108	40.4	3.7	92.7	144.19	3129	850	920	4.8	144.58	3129	1948.2	1938	59.4
144.97	3150	40.2	3.7	92.7	145.37	3150	850	920	4.8	145.76	3171	1948.2	1968.6	60.2
146.15	3171	34.8	3.5	92.7	146.51	3171	815	830	4.8	146.87	3171	1591.2	1795.2	64.9
147.22	3171	24	2.7	92.7	147.58	3171	705	760	4.8	147.94	3150	1295.4	1601.4	76.1
148.3	3129	12.2	1.88	92.7	148.66	3150	850	690	4.8	149.03	3150	1948.2	1581	54.6
149.4	3150	34	3.38	92.7	149.75	3150	850	860	4.8	150.11	3171	1948.2	1825.8	57.8
150.47	3192	40.4	3.78	92.7	150.83	3192	850	890	4.8	151.18	3213	1948.2	1948.2	60.2
151.59	3234	40.4	3.74	92.7	151.98	3234	610	875	4.8	152.35	3213	989.4	1621.8	59.8
152.72	3171	0.2	0.72	92.7	153.09	3150	255	485	4.8	153.47	3108	979.2	1101.6	59.8
153.85	3087	0	0.72	92.7	154.24	3045	255	450	4.8	154.62	3003	979.2	1040.4	59.4
155.02	2982	0	0.72	92.7	155.38	2919	255	450	4.8	155.74	2898	1050.6	1030.2	59
156.1	2898	27.8	2.88	92.7	156.46	2877	255	470	4.8	156.82	2814	969	1081.2	58.6
157.18	2730	0	0.72	92.7	157.53	2667	250	435	4.8	157.9	2583	948.6	1020	57

