

Friday 19 December 2014 10:14:40
028 906 021 CK 1.9l R4 EDC G00SG 0802

Marker	Group A: '001					Group B: '003					Group C: '011				
	Engine spe	Injection Q	Mod. Pisto	Coolant Temp.		Engine spe	MAF (speci	MAF (actua	EGR duty cycle		Engine spe	Specified Iv	Actual MAF	Duty cycle	
	TIME	861-945	9-Mar	1.35-2.10	80-110	TIME	861-945	240-340	240-340	Apr-84	TIME			Boost Valv	
	STAMP	/min	mg/str	V	°C	STAMP	/min	mg/str	mg/str	%	STAMP	/min	mbar	mbar	%
	0.35	2772	39	3.44	89.1	0.71	2793	850	855	4.8	0.01	2730	1938	1632	45.8
	1.43	2898	38.8	3.48	89.1	1.8	2940	850	900	4.8	1.07	2835	1938	1774.8	44.6
	2.59	3045	40.2	3.7	89.1	2.98	3087	850	925	4.8	2.19	2982	1938	1897.2	48.2
	3.76	3192	39.4	3.66	89.1	4.15	3213	850	970	4.8	3.37	3150	1948.2	1978.8	51
	4.93	3276	40.2	3.68	89.1	5.32	3297	850	1000	4.8	4.55	3255	1948.2	2029.8	55
	6.04	3339	40.2	3.78	90	6.4	3360	850	1005	4.8	5.68	3318	1948.2	2050.2	59.4
	7.12	3402	40.2	3.74	90	7.48	3465	850	945	4.8	6.77	3381	1948.2	2050.2	64.5
	8.24	3465	40	3.86	90	8.64	3507	850	1010	4.8	7.85	3444	1948.2	2040	68.5
	9.42	3591	34.2	3.56	90	9.78	2940	255	590	4.8	9.02	3549	1948.2	2070.6	74.1
	10.5	2583	38.4	3.26	90	10.86	2583	850	785	4.8	10.14	2583	1948.2	1428	44.6
	11.58	2625	35.8	3.24	90	11.93	2646	850	830	4.8	11.21	2604	1948.2	1611.6	49
	12.65	2562	0	1.14	90	13.02	2709	850	615	4.8	12.3	2667	1948.2	1723.8	46.6
	13.74	2709	32.2	3.04	90	14.11	2730	850	820	4.8	13.38	2688	1948.2	1438.2	47
	14.83	2772	38.6	3.46	90	15.22	2793	850	885	4.8	14.46	2751	1948.2	1662.6	49.4
	15.99	2835	39.2	3.46	90	16.4	2835	850	875	4.8	15.6	2814	1948.2	1846.2	48.2
	17.18	2856	34.4	3.24	90.9	17.55	2856	850	860	4.8	16.79	2856	1948.2	1846.2	44.6
	18.26	2877	36	3.36	90.9	18.62	2877	850	855	4.8	17.9	2877	1948.2	1785	44.6
	19.34	2856	35.6	3.38	90.9	19.7	2856	850	830	4.8	18.98	2856	1040.4	1662.6	77.7
	20.42	2856	41	3.56	90.9	20.77	2856	850	945	4.8	20.06	2856	1948.2	1734	47.8
	21.5	2856	41	3.62	90.9	21.86	2856	850	905	4.8	21.14	2856	1948.2	1958.4	50.2
	22.58	2835	13.2	1.94	90.9	22.95	2856	850	645	26.3	22.22	2856	1825.8	1958.4	77.7
	23.67	2772	8.6	1.64	90.9	24.03	2772	580	530	49.8	23.31	2793	1224	1550.4	77.7
	24.83	2730	34.6	3.3	90.9	25.23	2688	530	820	22.3	24.43	2751	1948.2	1295.4	47.4
	26.04	2625	6	1.52	90.9	26.44	2625	675	635	43.4	25.62	2667	1244.4	1448.4	52.6
	27.21	2604	25	2.62	90.9	27.58	2583	490	645	36.3	26.84	2604	1876.8	1356.6	47.4
	28.29	2562	11.4	1.9	90.9	28.65	2562	830	645	19.9	27.93	2562	1091.4	1326	69.7
	29.37	2541	25.8	2.66	90.9	29.74	2562	770	740	28.3	29.01	2541	1428	1326	57
	30.52	2562	23.6	2.52	90.9	30.92	2541	670	710	47.8	30.13	2562	1591.2	1458.6	62.6
	31.64	2562	16.6	2.18	90.9	32	2562	395	535	59.8	31.28	2562	1458.6	1417.8	57
	32.71	2541	3.6	1.38	90.9	33.08	2520	255	475	59.8	32.35	2541	979.2	1224	56.6
	33.79	2457	1.2	1.22	90.9	34.15	2457	250	445	59.8	33.43	2499	958.8	1060.8	56.6
	34.87	2394	1.4	1.26	90.9	35.23	2478	525	460	51	34.51	2436	958.8	1020	55.8
	35.95	2415	17.6	2.16	90.9	36.3	2415	515	570	59.8	35.59	2394	1254.6	1071	49.8
	37.02	2394	7.6	1.64	90.9	37.39	2415	665	580	37.5	36.66	2394	1173	1173	56.2
	38.16	2436	14.4	2.1	90.9	38.56	2457	355	550	59.8	37.77	2436	1662.6	1213.8	44.6
	39.34	2499	33.8	3.04	90.9	39.73	2520	410	620	38.6	38.95	2478	1346.4	1173	44.2

40.51	2520	3.2	1.36	90.9	40.87	2520	255	450	59.8	40.12	2499	979.2	1234.2	56.6
41.59	2520	1.8	1.3	90.9	41.95	2520	255	445	59.8	41.23	2541	958.8	1050.6	56.6
42.66	2520	1.8	1.2	90.9	43.02	2499	255	450	59.8	42.31	2520	958.8	1020	56.6
43.76	2457	1.6	1.22	90.9	44.15	2457	250	450	59.8	43.39	2499	969	1020	56.6
44.91	2415	0	0.72	90.9	45.31	2394	250	465	4.8	44.54	2436	948.6	999.6	55.8

