| 2013 Volkswagen <i>Jetta SportWagen</i> Maintenance<br>Schedule For USA<br>2.0L TDI Engine   | Ма   | Carefre<br>intenai<br>am US/ | nce  | ,    |      |      |      |      |      |      |      |      |      |
|--|------|------------------------------|------|------|------|------|------|------|------|------|------|------|------|
| Miles  | 10K  | 20K                          | 30K  | 40K  | 50K  | 60K  | 70K  | 80K  | 90K  | 100K | 110K | 120K | 130K |
| Airbag system: Perform visual inspection<br><b>(Every 1 year regardless of mileage)</b>  | 1, * | 1, *                         | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * | 1, * |      |
| Air filter element and snow filter: Replace and clean housing (Every 6 years regardless of mileage)  |      |                              |      |      |      | 6, * |      |      |      |      |      | 6, * |      |
| Battery: Check   |      | Х                            |      | Х    |      | X    |      | Х    |      | Х    |      | Х    |      |
| Body: Visual inspection for corrosion  |      |                              |      | Х    |      |      |      | Х    |      |      |      | Х    |      |
| Brake pads: Check thickness and brake disc condition. Look for contact pattern and corrosion of brake discs (front and rear)   | х    |                              | х    |      | x    |      | x    |      | х    |      | х    |      |      |
| Brakes: Inspect brake system and shock absorber for leaks and damage,<br>check thickness of brake pads, brake disc condition front and rear. Look for<br>contact pattern and corrosion of brake discs, and check brake fluid level<br>subject to abrasion  |      | x                            |      | x    |      | x    |      | x    |      | x    |      | x    |      |
| Brake fluid and clutch unit: Change fluid (Every 3 years regardless of mileage and every 2 years after)  |      |                              | 4, * |      | 4, * |      | 4, * |      | 4, * |      | 4, * |      |      |
| Coolant level and frost protection: Check  |      |                              |      | Х    |      |      |      | Х    |      |      |      | Х    |      |
| CV joints: Check for leaks and damage  |      |                              |      | Х    |      |      |      | Х    |      |      |      | Х    |      |
| Diesel Particulate Filter: <b>Perform after the first 120,000 miles or 120,000</b><br><b>miles after a Diesel Particulate Filter (DPF) replacement.</b> Check ash<br>loading according to manufacturer work procedure; Replace if necessary.<br><b>NOTE</b> : If DPF replacement is not necessary, perform check every 20,000<br>miles thereafter until replacement becomes necessary. |      |                              |      |      |      |      |      |      |      |      |      | x    |      |
| Door checks and mounting pins: Lubricate   |      |                              |      | Х    |      |      |      | Х    |      |      |      | Х    |      |
| Dust and pollen filter: Replace<br>(Every 2 years regardless of mileage)   |      | 2, *                         |      | 2, * |      | 2, * |      | 2, * |      | 2, * |      | 2, * |      |
| Engine: Change oil and replace oil filter  | Х    | х                            | х    | Х    | х    | х    | х    | х    | х    | х    | Х    | Х    |      |
| Engine and engine compartment components: Check (from above) for leaks and damage  |      |                              |      | Х    |      |      |      | х    |      |      |      | Х    |      |
| Engine and engine compartment components: Check (from below) for leaks and damage, check transmission, final drive, and drive shaft boots  |      |                              |      | X    |      |      |      | х    |      |      |      | Х    |      |

| 2013 Volkswagen <i>Jetta SportWagen</i> Maintenance<br>Schedule For USA<br>2.0L TDI Engine  | Ма  | Carefre<br>iintenai<br>am US/ | nce | ,    |     |      |     |      |     |      |      |      |      |
|---|-----|-------------------------------|-----|------|-----|------|-----|------|-----|------|------|------|------|
| Miles   | 10K | 20K                           | 30K | 40K  | 50K | 60K  | 70K | 80K  | 90K | 100K | 110K | 120K | 130K |
|   |     |                               |     |      |     |      |     |      |     |      |      |      |      |
| Exhaust system: Check for leaks, damage and secure fittings   |     |                               |     | Х    |     |      |     | Х    |     |      |      | X    |      |
| Fuel filter: Replace  |     | Х                             |     | Х    |     | Х    |     | Х    |     | Х    |      | Х    |      |
| Headlights: Check adjustment  |     |                               |     | Х    |     |      |     | Х    |     |      |      | Х    |      |
| Interior lighting and glove box lights, cigarette lighter / power outlets, horn, and all warning lamps: Check                             |     |                               |     | Х    |     |      |     | Х    |     |      |      | x    |      |
| Lighting: Front and rear lights, luggage compartment lighting, turn signals, hazard warning lights: Check                                 |     |                               |     | Х    |     |      |     | Х    |     |      |      | x    |      |
| Power steering: Check oil level   |     |                               |     | Х    |     |      |     | Х    |     |      |      | Х    |      |
| Rear window: Check cleaning nozzle functionality (if applicable)  | Х   | Х                             | Х   | Х    | Х   | Х    | Х   | Х    | Х   | Х    | Х    | Х    |      |
| Ribbed V-belt: Check condition (if applicable)  |     |                               |     | Х    |     |      |     | Х    |     |      |      | Х    |      |
| Service interval display: Reset   | Х   | Х                             | Х   | Х    | Х   | Х    | Х   | Х    | Х   | Х    | Х    | Х    |      |
| Service sticker: Enter the date of the next service on the service sticker and apply to the driver's side door pillar                     | х   | x                             | x   | Х    | Х   | х    | Х   | Х    | x   | x    | х    | x    |      |
| Sunroof and panoramic sunroof: Check, clean, and lubricate (if applicable)  |     |                               |     | Х    |     |      |     | Х    |     |      |      | x    |      |
| Sunroof: Open sunroof and check front water drains and clean if necessary (if applicable)   |     |                               |     | Х    |     |      |     | Х    |     |      |      | x    |      |
| Test drive: Check braking, kickdown, steering, electrical, heating and ventilation systems, air conditioning, handling, and parking brake |     |                               |     | Х    |     |      |     | X    |     |      |      | x    |      |
| Tie rod ends: Check for excessive play and looseness, check boots   |     |                               |     | Х    |     |      |     | Х    |     |      |      | Х    |      |
| Timing Belt: Replace  |     |                               |     |      |     |      |     |      |     |      |      |      | X    |
| Tires: Check tread depth, condition, wear pattern and pressure of all tires (including spare)   |     | x                             |     | Х    |     | х    |     | Х    |     | x    |      | x    |      |
| Tires: Rotate front to rear   | Х   | Х                             | Х   | Х    | Х   | Х    | Х   | Х    | х   | Х    | Х    | х    |      |
| Tire mobility kit: Check and observe expiration date on the tire filler bottle (Every 2 years regardless of mileage)                      |     | 3, *                          |     | 3, * |     | 3, * |     | 3, * |     | 3, * |      | 3, * |      |

| 2013 Volkswagen <i>Jetta SportWagen</i> Maintenance<br>Schedule For USA<br><mark>2.0L TDI Engine</mark>   | Ма                                 | Carefre<br>intenai<br>am US/ | nce   |                   |                    |                  |                   |                 |        |                     |                   |         |               |
|---|------------------------------------|------------------------------|---|-------------------|--------------------|------------------|-------------------|-----------------|--------|---------------------|-------------------|---------|---------------|
| Miles   | 10K                                | 20K                          | 30K   | 40K               | 50K                | 60K              | 70K               | 80K             | 90K    | 100K                | 110K              | 120K    | 130K          |
|   |                                    |                              |   |                   |                    |                  |                   |                 |        |                     |                   |         |               |
| Tire mobility kit: Replace tire filler bottle<br>(Every 4 years regardless of mileage)  |                                    |                              |   | 5, *              |                    |                  |                   | 5, *            |        |                     |                   | 5, *    |               |
| Transmission: DSG (non Automatic): Change fluid and filter (if applicable)  |                                    |                              |   | Х                 |                    |                  |                   | Х               |        |                     |                   | Х       |               |
| Underbody sealant: Inspect for damage   |                                    |                              |   | Х                 |                    |                  |                   | Х               |        |                     |                   | Х       |               |
| Windshield washers, headlight cleaning system, and wiper blades: Check for damage and function, Check fluid level and add if necessary  | х                                  | х                            | х   | x                 | Х                  | х                | Х                 | Х               | х      | x                   | Х                 | Х       |               |
| <ol> <li>Every 2 years, regardless of mileage: Dust and pollen filter: Repla</li> <li>Every 2 years, regardless of mileage: Tire filler bottle in the tire model.</li> <li>Every 3 years, regardless of mileage and every 2 years after: Brak</li> <li>Every 4 years, regardless of mileage: Tire filler bottle in the tire model.</li> <li>Every 4 years, regardless of mileage: Air filter element and snow filter</li> </ol> | obility k<br>ke fluid<br>obility s | it: Che<br>and cl<br>et: Rep | ck <b>(obs</b><br>utch ur<br>place <b>(</b> | nit: Rep<br>Obser | blace fl<br>ve exp | uid<br>biratior  | n date)           | )               |        | licable             | )                 |         |               |
| © 2012 Volkswagen Group of America, Inc.  |                                    |                              |   |                   |                    |                  |                   |                 |        |                     |                   |         |               |
| All rights reserved. Information contained in this document is bat<br>the copyright and other intellectual property rights of Volkswage<br>are reserved to make changes at any time without notice.<br>No part of this document may be reproduced, stored in a retrieve<br>photocopying, recording, or otherwise, nor may these materials<br>permission of the publisher.<br><b>Posted: May 2012</b>                            | n Grou<br>al syst                  | up of A<br>em, or            | America<br>transi                           | a, Inc.<br>mitted | , its af<br>in any | filiateo<br>form | d comp<br>or by a | oanies<br>any m | and it | ts licer<br>electro | nsors.<br>onic, m | All rig | hts<br>nical, |