




ETKA



Model	Year	MG:	SG:	Illustration	Restrictions	Update		
JEM	05	1	03	103-60	>> 9M-5-149 9	615	9:27	16.04.2005





ETKA



Model	Year	MG:	SG:	Illustration	Restrictions	Update	9:27	16.04.2005
JEM	05	1	03	103-60	>> 9M-5-149 9	615		

Pos	Part Number	Name	Remarks	Qty	Model
		cylinder head cylinder head cover	1.9ltr.		dieselmotor+ BEW
1	038 103 351 E	cylinder head		1	
(1)	#038 103 265 PX	cylinder head with valves, camshaft and injector (pump/jet)		1	
2	038 103 085 C	radial shaft seal (shaft rotation : right)	47X10	1	
3	N 013 811 5	sealing washer	A10X13,5	1	
4	N 016 024 1	plug	M10X1	1	
5	N 011 914 3	sealing cap	24	1	
(5)	N 011 919 1	sealing cap	B25	X	
6	N 901 157 02	washer	12,5X23,5X4,5	10	
7	038 103 714	fitted bolt	M6X54	10	
8	N 901 889 02	stud	M8X35	8	
9	N 909 055 02	stud	CM10AXM8X73	1	
10	N 025 666 3	ball	8V	1	
11	044 103 499 B	adapter		1	
13		tensioning plate see illustration:	130-30		
14	038 103 385 A	screw, cheese hd.	M6X64	4	
15	038 130 085	emulsion tube		1	
16	b 038 103 383 BL	cylinder head gasket	1,45MM 1 hole	X	
(16)	b 038 103 383 BM	cylinder head gasket	1,53MM 2 holes	X	
(16)	b 038 103 383 BN	cylinder head gasket	1,61MM 3 holes	X	
17	038 103 384	screw, cheese hd.	M12X166	10	
18		bearing shell see illustration:	109-32		



ETKA



Model	Year	MG:	SG:	Illustration	Restrictions	Update		
JEM	05	1	03	103-60	>> 9M-5-149 9	615	9:27	16.04.2005

Pos	Part Number	Name	Remarks	Qty	Model
19		gasket see illustration:	145-05		
20		gasket see illustration:	145-05		
21	038 103 469 AB	cylinder head cover		1	
23		gasket not a spare part			
24	038 128 773	bolt, hex. hd. with shoulder and sleeve	M6	13	
25	06B 103 485 B	sealing cap		1	
26	06A 103 483 D	gasket		1	
27		sealing washer see illustration:	103-75	1	
27		sealing washer see illustration:	103-77	1	
(28)	038 103 941 L	bracket	front	1	
29	N 010 233 6	screw, hex. hd.	M8X28	1	
30	038 103 390	lifting bracket	rear	1	
31	N 102 394 02	socket hd. screw with collar	M8X22	1	
(32)	038 103 493 AN	breather tube		1	
33	N 905 618 01	clamp	AL16-28	1	
		- - - E N D - - -			